

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINE OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

	Hits	Search Text	DBs
1	255	firmware with active	USPAT; US-PGPUB
2	8	(firmware with active) and (713/1 or 713/2)	USPAT; US-PGPUB
3	1538	firmware with (updat\$3 or upgrad\$3)	USPAT; US-PGPUB
4	115	(firmware with (updat\$3 or upgrad\$3)) and (713/1 or 713/2)	USPAT; US-PGPUB
5	11	firmware with active	EPO; JPO
6	1	firmware with active	IBM_TDB
7	161	firmware with (updat\$3 or upgrad\$3)	EPO; JPO
8	10	firmware with (updat\$3 or upgrad\$3)	IBM_TDB
9	1	(firmware with (updat\$3 or upgrad\$3)) and active	EPO; JPO
10	0	(firmware with (updat\$3 or upgrad\$3)) and (second adj (firmware or space or area))	EPO; JPO
11	7	(firmware with (updat\$3 or upgrad\$3)) and copy\$3	EPO; JPO
12	3	(firmware with (updat\$3 or upgrad\$3)) and second	EPO; JPO
13	0	(firmware with (updat\$3 or upgrad\$3)) and back\$1up	EPO; JPO
14	17	firmware and back\$1up	EPO; JPO
15	75	firmware with back\$1up	USPAT; US-PGPUB
16	6	firmware with back\$1up with error	USPAT; US-PGPUB
17	1	firmware with back\$1up with \$2valid\$3	USPAT; US-PGPUB
18	1	(firmware with back\$1up) same (firmware with \$2valid\$3)	USPAT; US-PGPUB
19	6	(firmware with copy) same (firmware with \$2valid\$3)	USPAT; US-PGPUB
20	13	firmware with copy with error	USPAT; US-PGPUB
21	26	(firmware with copy) same error	USPAT; US-PGPUB
22	6	((boot adj code) with copy) same error	USPAT; US-PGPUB
23	44	((boot adj code) with copy)	USPAT; US-PGPUB
24	1	"5327531".PN.	USPAT

	Hits	Search Text	DBs
25	516442	(during adj2 operation)	USPAT; US-PGPUB
26	22	(during adj2 operation). with (firmware with (updat\$3 or upgrad\$3))	USPAT; US-PGPUB
27	128	switch\$3 with operation with (firmware)	USPAT; US-PGPUB
28	8	(firmware with updat\$5) same (switch\$3 with operation with (firmware))	USPAT; US-PGPUB
29	8	(firmware with updat\$5) same (chang\$3 with operation with (firmware))	USPAT; US-PGPUB
30	843	without adj (re\$1boot\$3 or re\$1start\$3)	USPAT; US-PGPUB
31	4	(firmware) with (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
32	4	(firmware) same (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
33	168	(firmware) and (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
34	791	(control\$4) and (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
35	52	(control\$4) with (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
36	466	de\$1activat\$5 adj2 memory	USPAT; US-PGPUB
37	166	(de\$1activat\$5 adj2 memory) same (activat\$5 adj2 memory)	USPAT; US-PGPUB
38	0	((de\$1activat\$5 adj2 memory) same (activat\$5 adj2 memory)) same (without adj (re\$1start\$3 or re\$1boot\$3))	USPAT; US-PGPUB
39	0	((de\$1activat\$5 adj2 memory) same (activat\$5 adj2 memory)) and (without adj (re\$1start\$3 or re\$1boot\$3))	USPAT; US-PGPUB
40	0	((de\$1activat\$5 adj2 memory) same (activat\$5 adj2 memory)) same firmware	USPAT; US-PGPUB
41	21	((de\$1activat\$5 adj2 memory) same (activat\$5 adj2 memory)) same (code or process)	USPAT; US-PGPUB
42	1429	switch\$3 with control with (second adj3 (firmware or space or memory))	USPAT; US-PGPUB
43	1534	transfer\$4 with control with (second adj3 (firmware or space or memory))	USPAT; US-PGPUB
44	507	((switch\$3 or transfer\$4) near control) with (second adj3 (firmware or space or memory))	USPAT; US-PGPUB

	Hits	Search Text	DBs
45	10	((switch\$3 or transfer\$4) near control) with (second adj3 (firmware or space or memory))) same updat\$3	USPAT; US-PGPUB
46	14	(firmware) same (without adj (re\$set\$4))	USPAT; US-PGPUB
47	79	((switch\$3 or transfer\$4) near control) with ((updat\$3 or new) adj3 (firmware or space or memory)))	USPAT; US-PGPUB
48	1	"4080651".PN.	USPAT
49	1	"5212693".PN.	USPAT
50	1	"RE34363".PN.	USPAT
51	1	"5430687".PN.	USPAT
52	1	"5606660".PN.	USPAT
53	1	"5844829".PN.	USPAT
54	1	"5859993".PN.	USPAT
55	1	"5870609".PN.	USPAT
56	1	"6009500".PN.	USPAT
57	1	"6253281".PN.	USPAT
58	17	(chang\$3 adj3 configuration) same (second adj2 memory)	USPAT; US-PGPUB
59	607	(chang\$3 adj3 configuration) same (activat\$5 or de\$activat\$5)	USPAT; US-PGPUB
60	115	(configuration) with (without adj (re\$lboot\$3 or re\$lstart\$3 or re\$lset\$5))	USPAT; US-PGPUB
61	6	(firmware) with (without adj (re\$lboot\$3 or re\$lstart\$3 or re\$lset\$5))	USPAT; US-PGPUB
62	27	((chang\$3 or switch\$3 or different) adj2 configuration) with (without adj (re\$lboot\$3 or re\$lstart\$3 or re\$lset\$5))	USPAT; US-PGPUB
63	2	on\$ldemand with (mode near2 chang\$3)	USPAT; US-PGPUB
64	272	dynamic with (mode near2 chang\$3)	USPAT; US-PGPUB
65	6	(dynamic with (mode near2 chang\$3)) with (parameter\$1 or firmware)	USPAT; US-PGPUB
66	10	(dynamic with (mode near2 chang\$3)) same (parameter\$1 or firmware)	USPAT; US-PGPUB

	Hits	Search Text	DBs
67	4	(dynamic with (mode near2 chang\$3)) and (firmware)	USPAT; US-PGPUB
68	10	(dynamic with (mode near2 chang\$3)) same (configur\$5)	USPAT; US-PGPUB
69	1956	((mode near2 chang\$3)) same (configur\$5)	USPAT; US-PGPUB
70	843	((mode near2 chang\$3)) with (configur\$5)	USPAT; US-PGPUB
71	14	((mode near2 chang\$3)) same (configur\$5) same firmware	USPAT; US-PGPUB
72	124	((mode near2 chang\$3)) with (configur\$5) with switch\$3	USPAT; US-PGPUB
73	40	((mode near2 chang\$3)) with ((configur\$5) near3 switch\$3)	USPAT; US-PGPUB
74	102	((mode near2 chang\$3)) same ((configur\$5) near3 switch\$3)	USPAT; US-PGPUB
75	24	((mode near2 chang\$3)) same ((configur\$5) near3 read\$3)	USPAT; US-PGPUB
76	35	((mode near2 chang\$3)) same ((configur\$5) near3 new)	USPAT; US-PGPUB
77	1	"5481709".PN.	USPAT
78	1	"5935228".PN.	USPAT
79	1	"6081890".PN.	USPAT
80	1	"6128731".PN.	USPAT
81	1	"6282596".PN.	USPAT
82	1	"6480952".PN.	USPAT
83	1	"5341494".PN.	USPAT
84	1	"5497497".PN.	USPAT
85	1	"5659748".PN.	USPAT
86	44	(bit adj mode) with (mode near2 chang\$3)	USPAT; US-PGPUB
87	9	((bit adj mode) with (mode near2 chang\$3)) same configur\$5	USPAT; US-PGPUB
88	6	((processor adj mode) with (mode near2 chang\$3)) same configur\$5	USPAT; US-PGPUB
89	2472	configur\$5 with (mode with chang\$3)	USPAT; US-PGPUB
90	15	configur\$5 with (mode with chang\$3) with firmware	USPAT; US-PGPUB
91	89	configur\$5 with (mode with chang\$3) with processor	USPAT; US-PGPUB

	Hits	Search Text	DBs
92	115	(configur\$5 with (updat\$3 or upgrad\$3)) same (mode with chang\$3)	USPAT; US-PGPUB
93	1404	during with reconfiguration	USPAT; US-PGPUB
94	741	during near2 reconfiguration	USPAT; US-PGPUB
95	16	during near2 reconfiguration with interrupt\$5	USPAT; US-PGPUB
96	93	during with reconfigur\$5 with interrupt\$5	USPAT; US-PGPUB
97	62	(during near3 reconfigur\$5) with interrupt\$5	USPAT; US-PGPUB
98	373	(during near3 reconfigur\$5) with operat\$5	USPAT; US-PGPUB
99	302	(during near3 reconfigur\$5) near3 operat\$5	USPAT; US-PGPUB
100	10	(during near3 reconfigur\$5) near3 operat\$5 with continu\$5	USPAT; US-PGPUB
101	16	(during near3 reconfigur\$5) near3 continu\$5	USPAT; US-PGPUB
102	87	"5361373"	USPAT; US-PGPUB
103	5	"5361373" and (second adj2 memory)	USPAT; US-PGPUB
104	43	"5361373" and (simultaneous\$3)	USPAT; US-PGPUB
105	13	during near2 reconfiguration	EPO; JPO
106	1	(during near3 reconfigur\$5) near3 continu\$5	EPO; JPO
107	33	during with reconfiguration	EPO; JPO
108	2	"11260928" "9062528" "09091165"	EPO; JPO
109	1	"09062528"	EPO; JPO
110	1	"6147509"	USPAT; US-PGPUB
111	4	6275931.URPN.	USPAT
112	967	switch\$3 with firmware	USPAT
113	0	switch\$3 with (second adj firmware)	USPAT
114	173	switch\$3 adj3 firmware	USPAT
115	20	(switch\$3 adj3 firmware) same (updat\$3 or download\$3)	USPAT
116	17	(switch\$3 adj3 firmware) same (configur\$6 or reconfigur\$6)	USPAT

	Hits	Search Text	DBs
117	126	(switch\$3 adj3 configuration) same (updat\$3 or download\$3)	USPAT
118	97	((switch\$3 adj3 configuration) same (updat\$3 or download\$3)) and (memory or firmware)	USPAT
119	34	((switch\$3 adj3 configuration) same (updat\$3 or download\$3)) same (memory or firmware)	USPAT
120	309	(dual adj (configur\$6 or purpose)) same (memory or flash or fpga or pla or pga)	USPAT
121	126	(dual adj (configur\$6 or purpose)) with (memory or flash or fpga or pla or pga)	USPAT
122	38	flash adj memory adj page	USPAT
123	0	(firmware or configuration) with (download\$3 or updat\$3) with (on adj the adj fly)	USPAT; US-PGPUB
124	22	(firmware or configuration) with (download\$3 or updat\$3) with (fly)	USPAT; US-PGPUB
125	0	(firmware or configuration) with (download\$3 or updat\$3) with (fly)	EPO; JPO
126	3	(dual adj (configur\$6 or purpose)) with (memory or flash or fpga or pla or pga)	EPO; JPO
127	4	(dual adj (configur\$6 or purpose)) same (memory or flash or fpga or pla or pga)	EPO; JPO
128	31	switch\$3 adj3 firmware	EPO; JPO
129	1	(switch\$3 adj3 firmware) same (updat\$3 or download\$3)	EPO; JPO
130	4	(switch\$3 adj3 configuration) same (updat\$3 or download\$3)	EPO; JPO